



Client KNC CRL ORL

Analyzed 07/31/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	AOD9604	Form	Lyophilized
Batch	AOD-061426-10	Labeled Qty	10MG
Mol. Formula	C78H123N23O23S2	CAS Number	221231-10-3
Cap Color	Red	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	AOD9604	AOD9604	✓
Batch Avg Purity (HPLC)	(>98%)	99.21	✓
Net Peptide Content	10MG ± 10%	13.12	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS


No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · AOD9604	DETECTOR: UV 214 NM · 07/31/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Anderson

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT - 2026 - 175289
Access Code: AOD - 061426 - 10

