



Client KNC CRL ORL

Analyzed 07/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	RT2 20MG	Form	Lyophilized
Batch	RT-061424-20	Labeled Qty	20MG
Mol. Formula	C221H343N51O64	CAS Number	2381089-83-2
Cap Color	Blue	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Avg Purity	(>98%)	99.91	✓
Batch Avg Net Content	20MG ± 10%	21.51	✓
Identity Confirmation (LC-MS)	Retatrutide	Retatrutide	✓
Endotoxin	(<0.5 EU/ml)	PASS	✓

HEAVY METAL SCREENING

No data.


BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · RT2 20MG

DETECTOR: UV 214 NM · 07/20/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-212398
Access Code: RT-061424-20